Clinical furniture and instrument support

92-FA

Caster stool with an adjustable seat for the consultation workstation.



FISO 92-FA · Equipment view

Sources and documentation

Request a quote

View product

Generated on 2026-11-29

> This product sheet is prepared by ASEM. It does not replace the manufacturer’s official documentation or instructions for use.

Key advantages

Pneumatic seat height

Pneumatic mechanism adjusts the seat from 52 to 72 cm.

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation · Source checked on 2026-10-18

Upholstered round seat

A padded round seat measuring 33 cm in diameter.

Sources and documentation · Source checked on 2026-10-18

Five-arm base

Chrome-plated 50 cm base equipped with castors.

Sources and documentation · Source checked on 2026-10-18

Designed for a smoother workflow

Pneumatic height adjustment

The pneumatic mechanism adjusts the seat between 52 and 72 cm. The catalogue distinguishes this caster version from the 92-FAP with static glides.

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

Designed for daily practice

Upholstered round seat

The seat measures 33 cm in diameter. Black upholstery is described for this reference; other FISO upholstery finishes are optional.

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

Chrome-plated caster base

The five-arm base measures 50 cm in diameter and rests on castors. The adjustment column is also chrome-plated.

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

Technical specifications & documentation

Base diameter
50 cm

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

Seat diameter
33 cm

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

Seat height
52–72 cm

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Downloads & resources

- https://fiso.info/en/products/stools/92-fa-92-fap_277/
  Source checked on 2026-10-18
- https://fiso.info/en/products/stools/92-fa-92-fap_277/
  Source checked on 2026-10-18
- https://fiso.info/dynimg/en-0277-c8cc.jpg?20191015143737
  Source checked on 2026-10-18

Your questions about 92-FA

What is the documented Base diameter of 92-FA?

50 cm — FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

What is the documented Seat diameter of 92-FA?

33 cm — FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

Which configuration should I confirm for 92-FA?

FISO 92-FA stool. Upholstery and delivery configuration must be confirmed.

Sources and documentation

How does it differ from the 92-FAP?

The 92-FA uses castors and lists a 52–72 cm seat height. The 92-FAP is a different reference with static glides and a 49–69 cm height; these values are not interchangeable.

Sources and documentation

Can another upholstery finish be selected?

The manufacturer offers other FISO upholstery finishes as options. Colour, finish and inclusion in delivery must be specified in the quotation.

Sources and documentation

Related products



77FY

F.I.S.O.

Clinical furniture and instrument support

Articulated operating chair for outpatient surgery.

View product



CIT-4000

Huvitz

Clinical furniture and instrument support

Motorised table for positioning examination instruments.

View product

Explore the ASEM clinical catalogue

Browse related areas of the ASEM catalogue. These links do not extend the indications of this device.

Specialised technologies

More than a device, a long-term partnership

Discuss your project with ASEM: equipment selection, installation, training and technical support.



Service illustration

Installation

Discuss the installation requirements and configuration with our technical team.

Learn more



Service illustration

Training

Ask about the training and familiarisation available for your equipment.

Learn more



Service illustration

After-sales service

Contact ASEM for technical assistance and the support appropriate to your equipment.

Learn more



Service illustration

Expert advice

Tell us about your clinical needs to discuss a suitable equipment selection.

Learn more

Contact a specialist | Explore all products | Manufacturer website

+21320092281 · direction@asem-medical.com

Document version: 24f0d5f437d0